

JK INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY



Company Profile

JK Industrial Corporation is an ISO 9001:2008 Certified Company, leading name in scaffolding & Formwork Accessories and complete systems like Cup Lock, Ring Lock and H Frames for the last decade. We have been reckoned name in the industry with recognition of state of art in design, services and competitive prices. Our exposure into international markets has helped us to grow, invest in R&D, and produce the Buyer specific product too.

The Company is supported by young team of Engineers, Skilled workers and hi-tech machine shops for designing and testing as per international standard. All our products conform to the highest international standards and are being constantly researched daily to enhance the performance. The qualified team of Engineers constantly monitors the quality of the products.

Servicing the Global sector for the ast several years has made us familiarize with the international parameters in different geographical markets and have made our corporate philosophy as under.

- TO SUPPLY QUALITY AT THE BEST POSSIBLE PRICE AND ACHIEVE TOTAL CUSTOMER SATISFACTION
- TO MONITOR THE LATEST DEVELOPMENT AND KEEP ABREAST THE DIVERSIFYING MARKETS

The continuous flow of patronage by the esteemed customers year after year enthalls our motive to excel in making the complete systems and keep on adding the products as per the requirement of the customers



INDEX

INDEX

FORGED CLAMPS	01
PRESSED STEEL CLAMPS	02
FORMWORK PANEL & ACCESSORIES	03
FORMWORK PRODUCTS	04
ADJUSTABLE JACKS/U-HEADS	05
CUP LOCK SYSTEM	06
RING LOCK SYSTEM	07
PROPS & ACCESSORIES	08
STRUT CHANNELS/CEILING SYSTEM	09
SCAFFOLDING FRAME SYSTEM	10
SHORING TOWER	11
CONCRETE ACCESSORIES	12

JAS-ANZ



M4410210II





JK-01
DOUBLE COUPLER BRITISH TYPE
FOR TUBE OD 48.3mm
(EN-74 / BS 1139)



JK-02
SWIVEL COUPLER BRITISH TYPE
FOR TUBE OD 48.3mm
(EN-74 / BS 1139)



JK-03
DOUBLE COUPLER GERMAN TYPE
FOR TUBE OD 48.3mm
(EN-74 / BS 1139)



JK-04
SWIVEL COUPLER GERMAN TYPE
FOR TUBE OD 48.3mm
(EN-74 / BS 1139)



JK-05
DOUBLE COUPLER USA TYPE
FOR TUBE OD 48.3mm
(EN-74 / BS 1139)



JK-06
SWIVEL COUPLER USA TYPE
FOR TUBE OD 48.3mm
(EN-74 / BS 1139)



JK-07
PUTLOG COUPLER
FOR TUBE OD 48.3mm
(EN-74 / BS 1139)



JK-08
FORGED GRIDER COUPLER
FOR TUBE OD 48.3mm
(AS - 1576.2)



JK-09
COUPLER WITH WELDED BOLT
FOR TUBE OD 48.3mm



JK-10
SINGLE COUPLER WITH
WELDED L-PLANK
FOR TUBE OD 48.3mm



EIRC-1
ROD TYPE DOUBLE COUPLER
RIGHT ANGLE
FOR TUBE OD 48.3mm



EIRC-2
ROD TYPE SWIVEL COUPLER
FOR TUBE OD 48.3mm



JK-11
ITALIAN DOUBLE COUPLER
FOR TUBE OD 48.3mm




JK-12
ITALIAN SWIVEL COUPLER
FOR TUBE OD 48.3mm



JK-13
ITALIAN HALF COUPLER
FOR TUBE OD 48.3mm



JK-01
PRESSED SWIVEL COUPLER
FOR TUBE OD 48.3mm
(EN-74/BS-1139)



JK-02
PRESSED DOUBLE COUPLER
FOR TUBE OD 48.3mm
(EN-74/BS-1139)



JK-03
JOINT PIN
FOR TUBE OD 48.3mm
(EN-74/BS-1139)



JK-04
SUPPORT CLAMP
FOR TUBE OD 48.3mm
(BS-1139)




JK-05
STAIRCASE COUPLER
FOR TUBE OD 48.3mm
(BS-1139)



JK-06
TOE BOARD BRACKET
FOR TUBE OD 48.3mm
(BS-1139)



JK-07
FENCING COUPLER
FOR TUBE OD 42.3mm / 48.3mm
(BS-1139)



JK-08
SINGLE WEDGE COUPLER
FOR TUBE OD 42.3mm / 48.3mm




JK-09
SWIVEL WEDGE COUPLER
FOR TUBE OD 42.3mm / 48.3mm



JK-10
PUTLOG HEAD ADAPTER
FOR TUBE OD 48.3mm
(EN-74 / BS-1139)



JK-11
SLEEVE COUPLER
FOR TUBE OD 48.3mm
(EN-74 / BS-1139)



JK-12
JAPANESE DOUBLE COUPLER
FOR TUBE OD 48.3MM & 42.3MM
(JIS : G3444 / SS-311)




JK-13
JAPANESE SWIVEL COUPLER
FOR TUBE OD 48.3MM & 42.3MM
(JIS : G3444 / SS-311)



JK-14
GRIDER COUPLER
FOR TUBE OD 48.3mm
(AS - 1576.2)



JK-15
PRESSED PUTLOG COUPLER
FOR TUBE OD 48.3mm
(EN-74 / BS-1139)



COLUMN CLAMP (JKC-01)		
Item Code	Adjustment (mtr.)	Wt. (kg.)
7011	0.150-0.510	12.670
7012	0.460-0.815	17.730
7013	0.610-1.220	28.00



COMBINATION PLATE SQUARE



COMBINATION PLATE ROUND



FORGED ANCHOR NUT



QUICK PANEL CLAMP



CORNER CLAMP



ADJUSTABLE PANEL CLAMP



THREE WING ANCHOR NUT

Material : Malleable Cast Iron / SG Iron
 Size : 100mm
 Weight : 0.640 KG
 Working Load : 90 KN



TWO WING ANCHOR NUT


Material : Malleable Cast Iron / SG Iron
 Size : Ø 70 / 100mm
 Weight : 0.400/0.590 KG
 Working Load : 90 KN



THREE WING ANCHOR NUT (70MM)

Material : Cast Iron / SG Iron
 Size : 70mm
 Weight : 0.460 KG
 Working Load : 90 KN

COLUMN CLAMP (JKF-01)		
A	B	Size-OL X TL
135	175	40x60 cm
135	175	60x80 cm
135	175	80x100 cm
135	175	100x120 cm



FORGED FIST PLATE




WING NUT CASTED

Material : Malleable Cast Iron / SG Iron
Weight : 0.320 kg.
Working Load : 90 KN



FORGED WING NUT

Material : EN - 8
Weight : 0.350 kg.
Working Load : 90 KN



WEDGE CLAMP

Material : High Quality Steel
(Casted Body & Forged Wedge)
Size : Ø 4 - 10mm / Ø 7 - 12mm
Weight : 0.380 Kg / 0.490 Kg



SPRING CLAMP

Material : HR Sheet
Size : Ø 4 - 10mm
Weight : 0.460 kg



WATER BARRIER WITHOUT DISC

Material : Malleable Cast Iron / SG Iron
Size : 120mm Length
Weight : 0.500 KG



WATER BARRIER WITH DISC

Material : Malleable Cast Iron / SG Iron
Size : 116mm Length
Weight : 0.540 KG



TIE BAR CONNECTOR

Material : Mild Steel
Size : 100 / 105 mm
Weight : 0.450 / 0.472 kg.



HEXAGONAL NUT

Material : Mild Steel
Size : 25 / 30 / 50 / 70 mm
Weight : 0.105 / 0.126 kg.
0.210 / 0.294 kg.



HOT ROLLED TIE ROD

Size : Ø 15mm, upto 6mtr. Length
Ultimate Load: 190 KN
Weight : 1.47 KG/Mtr.



COLD ROLLED TIE ROD

Material : EN - 8 / MS
Size : Ø 15mm, upto 6mtr. Length
Ultimate Load: 140 / 120 KN
Weight : 1.47 KG/Mtr.



WALLER PLATE

Material : St37
Size : 120x120x6/10mm
Weight : 0.660 / 1.10 KG



STEEL CONE

Material : ST 37
Size : 90mm Length
Weight : 0.600 KG



BIG CONE

Material : EN8
Weight : 3.2 kg.



BAR COUPLER

BAR COUPLER JKBR-01

SIZE	OD	EIBR-01
D40	Ø70mm	M45X3.5- 6H
D38	Ø63mm	M40X3.5- 6H
D32	Ø50mm	M36X3- 6H
D25	Ø42mm	M29X3- 6H
D20	Ø32mm	M24X2.5- 6H
D16	Ø30mm	M18X2- 6H



ADJUSTABLE BASE JACK (TUBE OD 38MM) (JKAJ-01A)		
Item Code	TL/AL (Mtr)	Wt. (kg.)
6011	0.450/0.350	2.60
6012	0.550/0.450	2.95
6013	0.650/0.550	3.30
6014	0.750/0.650	3.70

ADJUSTABLE BASE JACK (TUBE OD 34MM) (JKAJ-01B)		
Item Code	TL/AL (Mtr)	Wt. (kg.)
6021	0.450/0.350	2.45
6022	0.550/0.450	2.75
6023	0.650/0.550	3.10
6024	0.750/0.650	3.40

ADJUSTABLE BASE JACK (TUBE Ø 34MM) (JKAJ-01C)		
Item Code	TL/AL (Mtr)	Wt. (kg.)
6031	0.500/0.400	4.60
6032	0.600/0.500	5.35
6033	0.800/0.700	6.70
6034	1.000/0.800	8.12



ADJUSTABLE U-HEAD (TUBE OD 38MM) (JKUH-01A)		
Item Code	TL / AL (mm)	Wt. (kg.)
6051	250 / 100	4.70
6052	300 / 150	5.75
6053	350 / 200	6.80



UNIVERSAL JACK (TUBE OD 38MM) (JKUJ-01A)		
Item Code	TL/AL (Mtr)	Wt. (kg.)
6061	0.450/0.350	1.60
6062	0.550/0.450	1.95
6063	0.650/0.550	2.30
6064	0.750/0.650	2.70

UNIVERSAL JACK (TUBE OD 34MM) (JKUJ-02A)		
Item Code	TL/AL (Mtr)	Wt. (kg.)
6071	0.450/0.350	1.45
6072	0.550/0.450	1.75
6073	0.650/0.550	2.10
6074	0.750/0.650	2.40



ADJUSTABLE JACK WITH ROUND PLATE (JKAJ-01D)		
Item Code	TL / AL (mm)	Wt. (kg.)
6041	250 / 100	2.00
6042	350 / 200	2.40
6043	500 / 350	3.00
6044	700 / 550	4.00




ADJUSTABLE SWIVEL JACK (PIPE OD 38MM) (JKSJ-01A)		
Item Code	TL / AL (mm)	Wt. (kg.)
6081	500/350	3.95
6082	600/450	4.30
6083	800/650	4.95



ADJUSTABLE FORK HEAD JACK (PIPE OD 38MM) (JKFJ-01A)		
Item Code	TL / AL (mm)	Wt. (kg.)
6091	500/350	4.35
6092	600/450	4.70
6093	800/650	5.35

ACCESSORIES



Reinforced Base Plate




Jack Nut



Plain Base Plate



Round Base Plate



VERTICAL/STANDARD JKCL-01A

Size (Mtr)	Weight (Kg)
1.0	4.96
1.3	5.92
1.5	7.43
1.8	8.34
2.0	9.91
2.5	12.38
3.0	14.82



HORIZONTAL / LEDGER JKCL-01B

Size (Mtr)	Weight (Kg)
0.60	2.36
0.90	3.39
1.00	3.74
1.20	4.43
1.30	4.77
1.60	5.81
1.80	6.50
2.50	8.91



INTERMEDIATE TRANSOM JKCL-01D

Size (Mtr)	Weight (Kg)
0.565	5.60
0.795	6.42
1.200	7.85
1.300	8.22
1.800	10.0
2.500	12.5



INSIDE BOARD TRANSOM JKCL-01C

Size (Mtr)	Weight (Kg)
1.621	7.50




ADJUSTABLE BEAM SPAN JKCL-01E

Combination	Minimum	Maximum	Name of Member	Length
ESO + ESI	1900	2650	Extra Short Outer	1500 mm
SO + ESI	2650	3650	Short Outer	2500 mm
SO + SI	2650	3650	Long Outer	3000 mm
SO + LI	3150	4400	Extra Short Inner	1500 mm
LO + SI	3150	4900	Short Inner	2500 mm
LO + SI	3150	5400	Long Inner	3000 mm



FACE BRACE JKCC-01F



HOP-UP BRACKET JKCL-01G



DECKING BEAM JKCL-01H



DROP HEAD JKCL-01I

ACCESSORIES



Bottom Cup



Ledger Blade



Top Cup



Spigot



VERTICAL (JKRL-01A)

Size	Weight
3,00m	14.03 kg
2,00m	9.38 kg
1,50m	7.01 kg
1,00m	4.67 kg
0,50,	2.33 kg




HORIZONTAL (JKRL-01B)

Size	Weight
0,73m	3.20 kg
1,00m	4.20 kg
1,40m	5.54 kg
1,50m	5.87 kg
2,00m	7.54 kg
2,50m	9.21 kg
3,00m	10.88 kg



DIAGONAL (JKRL-01C)

Size	Weight
3,07m x 2,00m	12,33 kg
2,57m x 2,00m	11,13 kg
2,07m x 2,00m	10,02 kg
1,57m x 2,00m	9,06 kg
1,40m x 2,00m	8,77 kg
1,088m x 2,00m	8,35 kg



STAGE BRACKET 0.75M (JKRL-01F)



REINFORCED HORIZONTAL (JKRL-01D)

Size	Weight
1,00m	4,94 kg
1,40m	6,45 kg
1,50m	6,83 kg
2,00m	8,71 kg
2,50m	10,6 kg
3,00m	11,91 kg



BASE COLLAR (JKRL-01G)



BRIDGING LEDGER (JKRL-01E)

Size	Weight
1,088m	5,19 kg
1,40m	6,45 kg
1,572m	7,10 kg
2,072m	8,98 kg
2,572m	10,87 kg
3,072m	12,75 kg


ACCESSORIES



Frame Ring/Rosette Ring



Brace End



Ringlock Wedge



Ledger End



Press Ledger



HEAVY DUTY PROPS (JKHP-01A)

Item Code	Closed Ht./Open Ht. (m)	Weight (kg.)
7021	1.07/1.82	11.00
7022	1.75/3.12	16.70
7023	1.98/3.35	18.40
7024	2.59/3.95	20.20
7025	3.20/4.87	24.20

LIGHT DUTY PROPS (JKLP-01A)

Item Code	Closed Ht./Open Ht. (m)	Weight (kg.)
7031	0.25/0.50	3.30
7032	0.50/0.80	4.10
7033	0.70/1.30	5.00
7034	1.00/1.80	5.90
7035	1.60/2.90	9.70
7036	2.00/3.60	10.70
7037	2.50/4.50	11.70
7038	3.00/5.00	13.40



ACCESSORIES



Prop Nut Casted

Prop Sleeve

Prop Nut

Prop Nut Cut Type

Locking Pin

Fork Head with Pipe

Fork Head wit U-Strip



STRUT CHANNELS

Eastman Metal framing systems provide an economical solution for electrical, mechanical and industrial support with a wide variety of applications in the construction industry. EASTMAN-STRUT Channel is cold formed on rolling mills from 2.5 mm, 2 mm and 1.5 mm thick low carbon steel strips. A continuous slot with interned lips provides the ability to make attachments at any point. Strut-channel is a steel channel specifically designs for structural uses and common in both the plumbing and electrical industries.

Material : Steel : Plain (2.5 mm, 2 mm, 1.5 mm, ASTM A570, Grade 33) Pre-Galvanised (ASTMA446, Grade A)

Length : Standard Lengths of 3 meters with tolerance of 0.5% are available. Custom Lengths are available on request.

Finishes : Standard Finishes : Plain Steel (Oil Coated), Pre-Galvanised Hot Dip Galvanised, Painted

STRUT FITTINGS

AVAILABLE IN:

- Electro-Galvanized
- Plain
- Green
- Stainless 304
- Stainless 316
- Aluminum
- Hot-Dipped Galvanized




Angle Fittings



Beam Clamps



Channel Brackets




Wing Fittings




Clevis Fittings



Flat Fittings




Tubing Clamps/pipe Straps




Braces



Channel Nut with Long Spring



Post Bases




CEILING SYSTEM - METAL STUD

The product is mainly used in light steel frameworks of large building. After the whole framework is installed, it is jointly used with plasterboard, hence forming a whole structure with light steel stud as framework and plasterboard as surface material. The product has quickened the speed of construction, which not only saves work time and reduces construction cost, but also decreases the price of the whole structure. Galvanization available upto G60

SUSPENDED CEILING SYSTEM / REQUIREMENTS (Thickness available upto 0.8mm)

		Code	Description	Dimensions	Approx. Requirements	Application
Main Ceiling Channel		MCC	Main Ceiling Channel	110 LM	11 X 38 X 11mm	Main support for furring Channels
Furring Channel		FLC	Furring Channel	200 LM	12x22x35 x22x12mm	Support section where plaster board is fixed
Perimeter Angle		PAN	Perimeter Angle (Wall Angle)	40 LM	25x25mm	Fixed round the perimeter to receive ends of furring channels and outer edges of plaster board



TRACK

Available size: 50X30mm / 75X30mm
 Thickness: 0.4mm - 0.6mm, Length: 2.9m
 Packing : Loose packing
 Main features : To fix up the gypsum board



STUD

Available size: 50X35mm / 75X35mm
 Thickness: 0.35mm - 0.6mm, Length: 2.9m
 Packing : Loose packing
 Main features : To fix up the gypsum board

ACCESSORIES



Adjustable Clip



Hanging Wire



Adjustable Clip



Hold Down Clip



Channel bracket



Performed Wire Clip



Spring Tee Connector




Spring Tee Fixing Clip




Channel Connector




WALK THRU FRAMES (S-STYLE)




JKSF-701
3'X6'4" WALK THRU FRAME



JKSF-702
42"X6'4" WALK THRU FRAME




JKSF-703
5'X6'4" WALK THRU FRAME




JKSF-704
5'X6'4" LADDER & WALK THRU FRAME

MASON FRAMES (S-STYLE)




JKSF-601
3'X3' SINGLE LADDER




JKSF-602
42"X3' SINGLE LADDER




JKSF-603
5'X2' SINGLE LADDER




JKSF-604
5'X3' SINGLE LADDER




JKSF-605
5'X4' SINGLE LADDER



JKSF-606
5'X5' SINGLE LADDER




JKSF-607
5'X5' DOUBLE LADDER



JKSF-608
5'X6'4" TRIPLE LADDER

FRAME LOCKS



Flip Lock



C-Lock



Drop Lock




Snap-On Lock



Canadian Lock



Fast Lock



Item Code:	JKST-01
Name:	FRAME 1.2 X 1.5
Quantity:	2 NOS.

Item Code:	JKST-02
Name:	FRAME 1.2 X 0.925
Quantity:	2 NOS.

Item Code:	JKST-03/JKST-04
Name:	CROSS BRACE 1.3/1.6
Quantity:	2 NOS./2 NOS.

Item Code:	JKST-05
Name:	FORK HEAD
Quantity:	4 NOS.

Item Code:	JKST-06
Name:	GUARD RAIL
Quantity:	2 NOS.

Item Code:	JKST-07
Name:	JACK
Quantity:	8 NOS.

Item Code	JKST-08
Name	LADDER
Quantity	1 NO.

Item Code	JKST-09
Name	WALK BOARD WITH MAN HOLE
Quantity	1 NO.

Item Code	JKST-10
Name	WALK BOARD
Quantity	1 NO.



THREADED ROD



COIL ROD



EYE BOLTS & NUTS



C-BRACKET



A-BRACKET



FORMWORK WEDGE



FLAT TIES



FORM BRACE



SNAP TIE



TAPER PIN



WEDGE BOLT



BASE TIE



LIFTING ANCHORS



UTILITY ANCHOR

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

RING LOCK SYSTEM

Horizontal
Diagonal
Reinforced Horizontal
Bridging Ledger
Vertical
Slage Bracket

Accessories:

www.jkscaffoldingindia.com

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

FORMWORK PANEL & ACCESSORIES

Formwork Panel
Column Clamp
Cambering Plate Square
Cambering Plate Round
Folded Anchor Nut
Panel Clamp
Three Wing Anchor Nut
Two Wing Anchor Nut
Three Wing Anchor Nut (Flange)
F-Clamp
Folded Flat Plate

www.jkscaffoldingindia.com

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

FORMWORK PRODUCTS

Wing Nut Clamp
Folded Wing Nut
Wedge Clamp
Spring Clamp
Water Barrier Without Disc
Water Barrier With Disc
Tie Bar Connector
Perforated Nut
Panel Clamp
Grid Bolted Tie Rod
Water Plug
Blind Clamp
Bar Clamp

www.jkscaffoldingindia.com

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

PRESSED COUPLER

Pressed Swivel Coupler for Tube
Pressed Double Coupler for Tube
Joint Pin for Tube
Support Clamp for Tube
Swallow Coupler for Tube
Tee Board Bracket for Tube
Folding Coupler for Tube
Single Wedge Coupler for Tube
Swivel Wedge Coupler for Tube
Pulling Head Adapter for Tube
Slave Coupler for Tube
Jansen Double Coupler for Tube
Jansen Swivel Coupler for Tube
Guide Coupler for Tube
Pressed Pulling Coupler for Tube

www.jkscaffoldingindia.com

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

PROP & ACCESSORIES

Heavy Duty Props & Light Duty Props

Accessories:

www.jkscaffoldingindia.com

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

FORGED COUPLER

Double Coupler British Type for Tube
Swivel Coupler British Type for Tube
Swivel Coupler USA Type for Tube
Jansen Double USA Type for Tube
Pulling Coupler for Tube
Forged Double Coupler for Tube
Coupler with Wedged for Tube
Single Coupler with Wedged for Tube
Flat Top Coupler Hook-End for Tube
Hook Top Coupler Swivel for Tube
Indian Double Coupler for Tube
Indian Swivel Coupler for Tube
Indian Hook Coupler for Tube

www.jkscaffoldingindia.com

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

ADJUSTABLE JACKS / U HEADS

Adjustable Base Jack
Universal Jack
Adjustable U-Head
Adjustable Jack with Round Plate
Adjustable Swivel Jack
Adjustable Fork Head Jack

Accessories:

www.jkscaffoldingindia.com

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

ACCESSORIES

Accessories:

www.jkscaffoldingindia.com

J K INDUSTRIAL CORPORATION
AN ISO 9001:2008 COMPANY
Manufacturer of Scaffolding & Formwork Accessories

CUP LOCK SYSTEM

Horizontal / Ledger
Intermediate Transom
Inside Board Transom
Face Brace
Vertical Standard

Accessories:

www.jkscaffoldingindia.com



J K INDUSTRIAL CORPORATION

AN ISO 9001:2008 COMPANY

K-257, Phase-VIII, Focal Point, Ludhiana-141010 Punjab (INDIA)

Ph : +91-161-2676754 Fax : +91-161-2675654, Mobile : +91-98140-75723

Website : www.jkscaffoldingindia.com

E-mail : exports@jkscaffoldingindia.com, precur@gmail.com